| C class | Product Information AHC625WH | |
|---------|---|----------|
| | MODEL | AHC625WH |
| | | |
| | Energy efficiency classes of domestic range hoods (A-G) | С |
| | Annual Energy Consumption - AEC hood (kWh/a) | 31.6 |
| | Fluid Dynamic Efficiency classes for domestic range hoods (A-G) | E |
| | Lighting Efficiency classes (A-G) | С |
| | The Grease Filtering Efficiency classes (A-G) | С |
| | Sound power level L WA - (dB) | 65 |
| | Time increase factor - f | 1.6 |
| | Fluid Dynamic Efficiency - FDE hood | 10.1 |
| | Energy Efficiency Index - EEI hood | 71 |
| | Measured air flow rate at best efficiency point - Q BEP (m 3 /h) | 111 |
| | Measured air pressure at best efficiency point P BEP (Pa) | 160.8 |
| | Measured electric power input at best efficiency point - W BEP (W) | 49.1 |
| | Nominal power of the lighting system - W L (W) | 4 |
| | Average illumination of the lighting system on the cooking surface - E middle (lux) | 72 |
| | Lighting Efficiency LE hood - (lux/Watt) | 18 |
| | Gerase Filtering Efficiency GFE hood - (%) | 78 |
| | Minimum airflow (Q min) | 150 |
| | Maximum air flow - Q max (m 3 /h) | 230 |
| | Airflow -boost (Q boost) | - |
| | Minimum sound power level L WA - (dB) | 45dB |
| | Maximum sound power level L WA - (dB) | 65dB |
| | Sound power level-boost L WA - (dB) Measured power | - |
| | consumption off mode P o (W) | 0 |
| | Measured power consumption in standby mode - P s (W) | 0 |
| | Product fiche according to "COMMISSION DELEGATED REGULATION (EU) No 65/2014 " | |